

**EDUCATION SERVICE CENTER REGION 19 ALLIED STATES COOPERATIVE**  
**RFP AWARD SUMMARY**

**RFP TITLE:** Fencing Products, Services, Installation and Related – ESC  
Region 19 Allied States Cooperative

**RFP NUMBER:** 21-7401

**RFP OPENING DATE:** February 9, 2021

**CONTRACT TERM:** Date of award until March 31, 2022 with 4 annual extension options.  
**(Extended by Region 19 until March 31, 2023)**  
**(Extended by Region 19 until March 31, 2024)**  
**(Extended by Region 19 until March 31, 2025)**

**FUNDING SOURCE:** Various

**RFP's ISSUED:** 876

**RESPONSES:** 3

**ADVERTISEMENT DATES:** El Paso Times – January 11, 2021 & January 18, 2021

**RECOMMENDED FOR AWARD:** **City Fence and Pipe Co**  
**JSR Construction & Remodeling LLC (Jesus S Rodriguez)**  
**Westside Welding Inc**

**TOTAL (estimated)** **\$5,000,000.00/year**

**EXPLANATIONS:**

Award of this solicitation will enable ESC Region 19 - Allied States Cooperative (ASC) to establish a contract with vendor(s) for Fencing Products, Services, Installation and Related for those procurements made with federal, state or local funds. Evaluation and award recommendation were based on 70% pricing and services/qualifications and 30% references. The awarded vendors' pricing and information can be found on the Award Detail spreadsheet.

**SPECIFICATIONS, PREPARATION AND  
EVALUATION PROVIDED BY:**

Rebecca Hernandez – ESC Region 19

Andrea Amiri – ESC Region 19

Rena Lawrence - ESC Region 19

**Special Conditions**

1. Delivery will be a part of this proposal and the cost for delivery must be provided with responses either with delivered pricing up front, or a matrix for S & H that allows ASC members to calculate their overall S & H costs based on the particular part of the United States they wish to either purchase and install or purchase only with this contract.
2. Unless otherwise specified, pricing will include on-site measurements, turnkey assembly, and installation to include all permits, supplies and other costs associated with the installation.
3. All work under this contract will meet ASTM specifications.
4. Any price increases during the contract must be tied to the raw commodity indexes.
5. Ornamental Wrought Iron Specifications:
  - a) Picket to picket will be 5", and center to center will be 5.5" on vertical pickets (16 gauge)

- b) All hollow wrought iron will be hollow, unless otherwise requested or specified by vendor at time proposal is submitted (16 gauge).
- c) All squared hollowed iron will be .50" squared (16 gauge).
- d) All flat bar will be 3/16" for bottom and top with 5" diameter steel tubing ring inserted between the flat bars.
- e) Bottom, top, and sides of panels will be 1.25" hollowed squared (16 gauge).
- f) All panels to be powder coated for in a variety of different colors to be provided with submittal of proposals.
- g) If vendor only uses iron that is primed and painted versus powder coating, it must state this on its submittals due to the shorter life expectancy versus powder coating processed ornamental wrought iron.
- h) Pricing for posts should be provided separately, when estimating according to different sizes required for the different height fences and gates.
- i) Horizontal reinforcement bar panels with steel tubing rings will be placed 11.50" from bottom of fencing and 11.50" from the top of the fencing to ensure stability and long life.
- j) Vendors wishing to submit other configurations and specifications should meet or exceed the ones provided above and provide all designs, configurations, technical specifications, and drafting documents with their response.
- k) Regardless of whether powder coating or primer paint is proposed, or alternate solutions are proposed, all warranty will be for one-year from the date of receipt of purchase or installation. Vendors who sell materials only will not be liable for improper installation by ASC members who wish to purchase and install themselves. The actual material will be warranted for one year even when ASC members provide their own installations.

6. Chain Link Fence Specifications:

- a) Installed pricing will include but not limited to schedule 20 and 40 in 4, 6, 7, 8, 10, and 12 ft. heights.
- b) Materials shall be American Domestic made.
- c) Pricing to include blank terminal, one-way terminal, two-way terminal, 1 5/8" frame swing gate and frame roll gates, 9-gauge galvanized coating, bottom tension wire, aluminum tie wires.
- d) 2" Frame Double Gate
- e) Unless otherwise stated, all posts to be set in 12" x 3 ft. deep holes with 2500 PSI concrete or more depending on ground requirements.
- f) Installed pricing will include cost of tension bans, brace bands, nuts, bolts, rail ends, dome caps, truss rods, and holders.
- g) 1 5/8" O.D. Metal Pipe top rail to be schedule 20 gauge
- h) 2" Schedule 20-line posts not to exceed 10 ft. centers
- i) 3" O.D. SS 20 terminal posts
- j) Knuckle and Knuckle

Approved By: \_\_\_\_\_

**Dr. Armando Aguirre**  
**Dr. Armando Aguirre**  
**Dr. Armando Aguirre**  
**Dr. Armando Aguirre**

Date: \_\_\_\_\_

**February 17, 2021**  
**December 15, 2021**  
**December 12, 2022**  
**January 4, 2024**