EDUCATION SERVICE CENTER REGION 19 RFP AWARD SUMMARY

RFQ TITLE: RFP NUMBER: RFP OPENING DATE: CONTRACT TERM:	Sports Surfaces (Indoor / Outdoor) and Related Items – ESC Region 19 Allied States Cooperative 14-7041 May 27, 2014 Date of award until July 31, 2015 for a period of one (1) year with an option to renew annually for an additional four (4) years (Extended by Region 19 until July 31, 2016) (Extended by Region 19 until July 31, 2017) (Extended by Region 19 until July 31, 2018) (Extended by Region 19 until July 31, 2019)
FUNDING SOURCE: RFP's ISSUED: RESPONSES: ADVERTISEMENT DATES: BOARD MEETING DATE:	Various 72 6 Washington Post - May 5, 2014 & May 12, 2014 August 21, 2014
RECOMMENDED FOR AWARD	Champion Track and Turf Repair Hellas Construction, Inc. Playgrounds Today, Inc. (HUB) Pride General Contractors, LLC (HUB) Richey Athletics
TOTAL (estimated) *Approval to i	\$ 4,000,000.00 / year \$ 30,000,000.00 / year **Effective 02/25/2016 increase dollar amount was signed by Region 19 Board of Directors.

EXPLANATIONS:

Award of this contract will enable ESC-Region 19 and Region 19 Allied States Cooperative members to utilize services needed to furnish and/or deliver Sport Surfaces (Indoor/Outdoor) and Related Items for ASC members. A proposal from ERC Environmental & Construction Services dba ERC did not provide required documentation on the scope of the contract therefore was not considered.

SPECIFICATIONS PROVIDED BY:	Royce Cleveland ESC Region 19 Allied States Cooperative
EVALUATION COMMITTEE:	Royce Cleveland ESC Region 19 Allied States Cooperative
	Martin Camacho ESC Region 19 Allied States Cooperative
	Mary Jane Lopez ESC Region 19 Allied States Cooperative

Champion Track and Turf Repair Tim Daughtery PO BOX 165032 Fort Worth, TX 76161 817-988-1420 Fax: 817-236-4424 www.championtrackandturfrepair.com / twdaughtery@sbcglobal.net

Champion Track and Turf Repair – We are a track repair and track re-stripe company; we will repair cracks in the track and asphalt base. We repair areas that are loose or delaminating (separating from the base). We will take out all the areas of the track that need to be repaired and the exposed areas will be replaced with a full depth of rubber repair. We will touch up any track markings that are taken out by our repairs. We offer a complete re-stripe of any track. In addition to track repair, we do seam repairs to artificial turf athletic fields. We offer a complete deep cleaning and de-compacting of the synthetic sports fields. We also do 10 point G-max testing on all surfaces.

All of our track repair and track re-stripe jobs are quoted separately. We will walk the track with a school representative and will talk to them to help us determine how extensive the repair or re-stripe will be. We have a 20% markup on all our materials and supplies. The rest of the cost of the job is labor and will be determined by the extent of the repairs.

Warranty – All track repairs, re-stripes, and seams have a 90 day warranty. Contact vendor for more information.

Services offered in- Arizona, Arkansas, Alabama, Georgia, Iowa, Kansas, Louisiana, Mississippi, Missouri, Nebraska, Nevada, New Mexico, Oklahoma and Texas

Hellas Construction, Inc. Tommy McDougal Ruth Hawley (as of July 2016) 12710 Research Blvd., Suite 240 Austin, TX 78759 512-250-2910 / 512-809-9509 - cell Fax: 512-250-1960 www.hellasconstruction.com / tmcdougal@hellasconstruction.com / rhawley@hellasconstruction.com

Hellas Construction, Inc. – Is the manufacturer and installer of its synthetic turf, running track and tennis court surfaces.

Running Track Products – Hellas' epiQTracks™ Line of Running Tracks Surfaces

100 - Paved base mat

DYAD – Embedded Dual Sheet Goods System. IAAF approved.

Z5000 – Same as Q3000 but 15mm. bottom 2 layers are PU and broadcast SBR or EPDM. Top layer is same pigmented PU and broadcast EPDM rubber granules 15 mm thick IAAF approved

G4000 - Same as Q3000 but available in 13 mm

Q3000 – (Full Pour / Multilayer) bottom layer is P/U and broadcast SBR or EPDM. Top Layer is 3-4 mm same pigmented PU and broadcast EPDM rubber granules. 10 mm thick. Encapsulated system is the same but add spray coat of UV stable protective coating. IAAF approved.

X1000 – Sandwich Sytem. Paved Mat is 10 mm (SBR 1-3 mm in diameter bound with a single component PU binder that is solvent free) Sealed with 2 component PU seal coat squeegee applied. Top coat is poured 3-4 mm thick made up of colored EPDM granules 1-4 mm (embedded or encapsulated) 13 mm or 16 mm. Encapsulated system is same but add spray coat of UV stable protective coating.

V300 (& Retop) – Paved Base Mat, Sealed and Structural Spray

S200 (& Retop) – Paved Base Mat and Structural Spray

Construction Products

Cushgrain 25 mm – Elastic shock pad, 25 mm thick, comprised of rubber granules, mineral aggregate and moisture-cured polyurethane binder.

Shock Pad 19 mm – Elastic shock pad, 19 mm thick, comprised of rubber and moisture –cured polyurethane binder.

Vertical Drain System – Subsurface construction specifications

Synthetic Turf Products

Matrix® Mono-Slide Fusion™ Insurrection® Matrix® Turf Matrix® Real Matrix® Triad Matrix® TV60 Velocity® XP Blade Velocity®

Tennis Products

TPS® 5000 Acrylic Tennis Court Surface

<u>Pricing</u> – Contact vendor for general unit price cost, States which have a different Prevailing Wage, Davis-Bacon Wage and Tax Rate for every county will be applied post award.

<u>Warranty</u>

epiQTracks[™] Warranty shall be in force for a period of 60 months from the effective date, provided, however that all stripes and markings on the Surface are warranted for a period of twenty-four months from the effective date.

Retop Synthetic Track Surface Warranty is for 12 months from the effective date, provided, however that all stripes and markings on the Surface are warranted for a period of 12 months from the effective date. **Acrylic Tennis Court Surface** for a period of 12 months and that the colored surface will not wear through for a period of twelve months from effective date shown. Contact vendor for more information.

Services offered in - All States

Playgrounds Today, Inc. (HUB) Joanis Robertson 248 Woodsy Hollow Goodrich, TX 77335 936-756-7529 Fax: 936-365-4655 www.ptiexperts.com / joanis@ptiexperts.com

Playgrounds Today, Inc. – ProGrass Performance System the world's only synthetic turf provider with manufacturing exclusively by ACT Global Sports.

ProGrass Products

ProGrass Infinity – Consists of 100% polyethylene, parallel slit fibers, tufted into a woven multi-layer backing, ideal for indoor and outdoor use.

ProGrass Game Turf – Consists of 100% polyethylene, spined monofilament fibers, tufted into a woven multi-layer backing, ideal for football, baseball and soccer.

ProGrass Blend – Consists of 100% polyethylene fibers, that are 50% monofilament and 50% parallel slit, that are tufted into a multi-layer backing, excellent choice for any field.

ProGrass provides a turnkey system that incorporates all of the important stages needed to give you the best performing field possible.

Design Manufacturing Construction Installation Quality Check

Certified Rhino Annual Maintenance to Improve Play, Reduce Static, Inhibit Moss Growth, And Restore Turf.

Inspection Deep Grooming De-Compacting Magnetic Metal Collecting Professional Cleaning Disinfectant Application Review Maintenance Procedures

NovAcrylic Sport Surfaces

Nova Sports U.S.A. Is dedicated to providing the acrylic surfacing buyer with a superior product and the highest level of surface.

High-Performance All Weather Court Surface

Texture – all Novacrylic surfaces is achieved by using non-angular aggregates

Novafil® 100% acrylic sand filled texture applied to pavement to hide some of the voids and provide desired texture to the court surface.

Novacoat® 100% acrylic heavily pigmented topcoat and is the final topcoat to produce a tough flexible wearing surface

Novacushion® rubber filled 100% acrylic coating formulated to provide some shock absorbing qualities to a tennis court

Combination Surface® is a higher quality version of a field mixed blend of our Novacoat and Novafil materials.

Novabond® a surfacing of Portland cement pavements, used as a primer and as an additive to a slurry mix that promotes adhesion of acrylic coating to concrete.

Novatex® is the whitest, highly hiding, textured line paint.

Novaline® Non textured line paint for spray application

Seal A Line® 100% acrylic primer for lines applied with the use of masking tape.

Novacaulk® is a two-step system of repairing cracks

Novatrack® is a highly pigmented 100% acrylic filled with colored EPDM rubber

Novaplay® is a special coating that looks like a tennis court surface but is formulated with tougher acrylics and has the ability to stand up to rough surface.

Novaplay II® is a variation of Novaplay with a smooth, slightly textured finish

Novasurface® pure acrylic resurfacer used to hide defects in the pavement prior to the application of a Novacrylic color system

Services offered in – Pennsylvania and Texas

Pride General Contractors, LLC (HUB) Jesus Gonzalez 5959 Gateway Blvd. West, Ste. 512 El Paso, TX 79925 700 N. Copia St. El Paso, TX 79903 (as of 8/27/2018) 915-771-9601 Fax: 915-771-9600 www.pridegc.com / info@pridegc.com

Category 1 – Athletic Facility Seating

Exterior – Sheridan Seating, Inc. – Retractable Platforms and Bleachers

Gymnasiums Theaters Stadiums Auditoriums Concert Halls Cafeterias Lecture Halls Arenas

Bleachers and Seating

Wall Attached Bleachers Portable Bleachers Arena Seating Theater Seating

Safety Rails

Center Aisle Hand rail Ready Rail end Rail ADA Rail

Retractable Stages

Surface mount Stage Recessed Stage

Accessories

Friction Bleacher Drive Portable Power Tractor (mule) Pendant Control Hydraulic Lift Card Operator Handle (mule) Scorer's Table Row lock Nose Mount Chair Deck mount Chair (fabric) Deck mount Chair (plastic) Semi-automatic fold down service Bench Seat with Backrest Interior – Sturdisteel – Grandstands, Bleachers and Aluminum Seating

Football Grandstands Stadium Seating Expansion

Baseball / Softball Seating Aluminum Seating Bleachers

Fair, Rodeo Arenas and Race Tracks Outdoor Seating, Bleachers

Indoor Sports Seating, Gymnasiums, Exhibition Arenas

Tilt and Roll Bleachers Team Benches Picnic Tables 3 & 4 Row Portable Bleachers Press Boxes

Tiger – Drylac Powder Coatings and RAL interior and exterior colors

Category 2 - Athletic / Multipurpose Facilities Floor Installation, Maintenance and Refinishing Products and Services

Mondo – Resilient athletic flooring system to be installed over concrete. Mondoflex II is prefabricated resilient athletic flooring; a composite made of three layers where the first and second layer are made of 100% vulcanized virgin rubber, a thermoset material, and a third layer (base) is made of a three-dimensional recycled polyurethane foam.

Warranty- Manufacturer's current standard warranty. Flooring is warranted to be free from manufacturing defects for a period of two (2) years from the date shipped. Flooring is warranted against excessive wear under normal usage for a period of five (5) years from the date of installation.

Signawood – a hardwood high performance, resiliently-supported gymnasium flooring system utilizing a prefabricated sleeper with dual density inset pads.

Warranty – a 3 year guarantee for the finished wood flooring and associated work, agreeing to repair or replace flooring which shrinks, warps, cracks or otherwise deteriorates excessively or which buckles, delaminates or fails to perform as required or represented by the manufacturer due to failures of materials and workmanship.

Connor Sports Flooring – floating sports system providing shock absorption, consisting in general of a vapor barrier, resilient Rezill pads, plywood sleepers, optional plywood subfloor, maple flooring, sanding, sealers, finishes, game lines and wall base.

Warranty – one year and is limited to flooring materials, contact vendor for more information. <u>Category 3 – Athletic Tracks, Fields and Courts & Category 4 – Athletic and Recreational Fields</u> <u>Surfaces</u>

Renner Sports Surfaces – running track construction, clay courts, play courts resurfacing, professional track striping and graphics and acrylic coatings.

Post-Tensioned Tennis Courts

RSS-100 Surface - 100% polymer-bound surface

RSS-200 Surface - 100% polyurethane-bound porous base mat/structural spray surface

RSS-3000 Surface – 100% polyurethane-bound (non-porous mat/spray) that offers outstanding all weather performance and durability.

RS-400 Surface – 100% polyurethane-bound (a sandwich system) embedded rubber particles provide increase rebound.

RS-5000 Surface - 100% polyurethane-bound (a sandwich system) embedded rubber particles provide increase rebound.

SportMaster Sport Surfaces - 100% acrylic color coatings for tennis courts, running tracks and multipurpose sports surfaces, tennis courts & basketball courts.

Ready-Mix Color Color Concentrate™ Color concentrate™ with Sand

SportMaster® Resurfacers

Acrylic Resurfacer Level Master™ Acylic Resurfacer with Sand

SportMaster® Patching & Crack Filling Materials

Acrylic Patch Binder CrackMagic™ Acrylic Crack Patch CourtFlex™ Crack Sealant

T/C White Line Paint Stripe Rite® Pre-Dispersed Black Pigment Acrylic Adhesion Promoter SportWax™ Clear Coat

ACT Global

XtremeTurf – Xtreme Premier Turf SPC55 is designed for American Football, Soccer and Baseball use and consists of tufted blend of special parallel cut hybrid fibrillated fiber on a reinforced multi-layer backing.

Sports – Xtreme Turf – is the choice of professional sports facilities worldwide. Their products have proven athletic performance with comparisons to natural grass in the areas of skin abrasion, foot stability, traction, shock absorption, ball movements and slip resistance.

LandScape – Xtreme Lawn – high quality artificial grass, Xtreme Lawn is non-toxic, environmentally friendly and perfect for pet runs, playgrounds, yards, landscaping and more.

Aviation – AvTurf – high quality artificial turf.

Landfill – LiteEarth – is patent synthetic grass capping system for the long-term cover of landfills, coal ash, gypsum deposits and land reclamation projects, combining synthetic turf and impermeable EPDM membrane into a durable and aesthetically pleasing composite.

Warranty – Eight (8) year standard warranty – contact vendor for more information and details.

Services offered in – New Mexico and Texas

Richey Athletics Stephen Griffy PO BOX 166 Michigantown, IN 46057 765-249-2426 Fax: 765-249-3010 www.richeyathlectics.com / stephen@richeyathletics.com

Richey Athletics – is a sole manufacture of Richey track and field equipment, specializing in pole vault and high jump mats, throwing cages, etc., providing equipment solutions for all levels of programs with varying levels of need.

Richey Varsity Pole Vault Pit DFTY28Elite Pole Vault Pit Model DFTY-28EChampion Pole Vault PitMaster Pole Vault PitOlympic Pole Vault PitRichey Elite-N High Jump Pit Model CHJ-NRichey Champion High Jump Pit Model OHJ-NMaster High Jump PitOlympic High Jump PitOlympic Top Pads, Etc. - Pads can be two different colors for a competition side and a practice side.Double Front Pole Vault Pits

Specialty or Custom Pits

Hammer and Discus Cages – Aluminum poles, stainless steel hardware, coated UV resistant nets and a 10 year warranty.

Warranty – guarantees the materials and craftsmanship of our products to be free from defect for 10 full seasons of competition. We will fix any problem within this time frame that arises as a result of a failure of either of these two inputs. The warranty includes the whole pit, base sections, the foam in base sections, your standards, your top pad, your top pad foam, the base pads around your standards, and every individual piece to these sections: zippers, handles, stitching, Velcro, etc. The warranty covers defect as a result of regular "wear and tear "associated with outdoor athletic equipment. Contact vendor for more information.

Richey Athletics - Richey reserves the right to adjust the pricing depending on supply costs, which fluctuate with different textile markets; oil markets.

Services offered in – All States

Approved by:
(Armando Aguirre – Executive Director)

Date:

(August 18, 2014)	
(June 4, 2015)	
(July 13, 2016)	
(May 18, 2018)	